Parasitology

EDITORS

F. E. G. COX *and* C. ARME

EDITORIAL ASSISTANT

M. ELISABETH PAINTER Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (Chairman)

R. M. ANDERSON, F.R.S.
R. W. ASHFORD
D. C. BARKER
D. A. P. BUNDY
A. O. BUSH
L. H. CHAPPELL*
D. W. T. CROMPTON
K. DIETZ
H. GINSBURG
D. W. HALTON
C. R. KENNEDY
M. W. KENNEDY
D. L. LEE
D. P. McMANUS
P. W. PAPPAS
R. A. PAX
D. ROLLINSON
A. SAUL
M. E. SCOTT
A. SHER
R. C. TINSLEY
K. VICKERMAN, F.R.S.
D. WAKELIN
P. J. WHITFIELD
R. A. WILSON
M. E. J. WOOLHOUSE

* Representing the British Society for Parasitology.

CAMBRIDGE
UNIVERSITY PRESS

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
40 West 20th Street, New York, NY 10011–4211, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press, 1996

Printed in Great Britain by the
University Press Cambridge

CONTENTS

PART 1 JANUARY 1996

MONIS, P. T., MAYRHOFER, G., ANDREWS, R. H., HOMAN, W. L., LIMPER, L. and EY, P. L. Molecular genetic analysis of *Giardia intestinalis* isolates at the glutamate dehydrogenase locus 1

MILANO, S., ARCOLEO, F., DIELI, M., D'AGOSTINO, R., NUCCI, G. DE, D'AGOSTINO, P. and CILLARI, E. *Ex vivo* evidence for PGE_2 and LTB_4 involvement in cutaneous leishmaniasis: relation with infection status and cytokine production 13

DEELDER, A. M., VAN DAM, G. J., KORNELIS, D., FILLIÉ, Y. E. and VAN ZEYL, R. J. M. *Schistosoma*: analysis of monoclonal antibodies reactive with the circulating antigens CAA and CCA 21

YOLE, D. S., PEMBERTON, R., REID, G. D. F. and WILSON, R. A. Protective immunity to *Schistosoma mansoni* induced in the olive baboon *Papio anubis* by the irradiated cercaria vaccine 37

FALLON, P. G., FOOKES, R. E. and WHARTON, G. A. Temporal differences in praziquantel- and oxamniquine-induced tegumental damage to adult *Schistosoma mansoni*: implications for drug-antibody synergy 47

BOSOMPEM, K. M., ASSOKU, R. K. G. and NANTULYA, V. M. Differentiation between culture-derived insect stages of *T. brucei*, *T. vivax*, *T. congolense* and *T. simiae* using a monoclonal antibody-based dot–ELISA 59

PENTREATH, V. W., ALAFIATAYO, R. A., CRAWLEY, B., DOUA, F. and OPPENHEIM, B. A. Endotoxins in the blood and cerebrospinal fluid of patients with African sleeping sickness 67

MASIGA, D. K., MCNAMARA, J. J., LAVEISSIÈRE, C., TRUC, P. and GIBSON, W. C. A high prevalence of mixed trypanosome infections in tsetse flies in Sinfra, Côte d'Ivoire, detected by DNA amplification 75

FURMIDGE, B. A., HORN, L. A. and PRITCHARD, D. I. The anti-haemostatic strategies of the human hookworm *Necator americanus* 81

KO, R. C. and FAN, L. Heat shock response of *Trichinella spiralis* and *T. pseudospiralis* 89

FOSTER, N. and LEE, D. L. A vasoactive intestinal polypeptide-like protein excreted/secreted by *Nippostrongylus brasiliensis* and its effect on contraction of uninfected rat intestine 97

STIEN, A., HALVORSEN, O. and LEINAAS, H-P. Density-dependent sex ratio in *Echinomermella matsi* (Nematoda), a parasite of the sea urchin *Strongylocentrotus droebachiensis* 105

BOHAN, D. A. and HOMINICK, W. M. Investigations on the presence of an infectious proportion amongst populations of *Steinernema feltiae* (Site 76 strain) infective stages 113

FRAGOSO, G., LAMOYI, E., MELLOR, A., LOMELI, C., GOVEZENSKY, T. and SCIUTTO, E. Genetic control of susceptibility to *Taenia crassiceps* cysticercosis 119

BASCAL, Z. A., MONTGOMERY, A., HOLDEN-DYE, L., WILLIAMS, R. G., THORNDYKE, M. C. and WALKER, R. J. NADPH diaphorase activity in peptidergic neurones of the parasitic nematode, *Ascaris suum* 125

RUSSO, J., DUPAS, S., FREY, F., CARTON, Y. and BREHELIN, M. Insect immunity: early events in the encapsulation process of parasitoid (*Leptopilina boulardi*) eggs in resistant and susceptible strains of *Drosophila* 135

HOLLISTER, W. S., CANNING, E. U., WEIDNER, E., FIELD, A. S., KENCH, J. and MARRIOTT, D. J. Development and ultrastructure of *Trachipleistophora hominis* n.g., n.sp. after *in vitro* isolation from an AIDS patient and inoculation into athymic mice 143

PART 2 FEBRUARY 1996

HASTINGS, I. M. Population genetics and the detection of immunogenic and drug-resistant loci in *Plasmodium* 155

GOMA, J., RÉNIA, L., MILTGEN, F. and MAZIER, D. Iron overload increases hepatic development of *Plasmodium yoelii* in mice 165

ESCHENBACHER, K.-H., EGGLI, P., WALLACH, M. and BRAUN, R. Characterization of a 14 kDa oocyst wall protein of *Eimeria tenella* and *E. acervulina* 169

HOLMDAHL, O. J. M. and MATTSSON, J. G. Rapid and sensitive identification of *Neospora caninum* by *in vitro* amplification of the internal transcribed spacer 1 177

HEMPHILL, A., GOTTSTEIN, B. and KAUFMANN, H. Adhesion and invasion of bovine endothelial cells by *Neospora caninum* 183

CAMACHO, M., ALSFORD, S. and AGNEW, A. Molecular forms of tegumental and muscle acetylcholinesterases of *Schistosoma* 199

BOSOMPEM, K. M., MASAKE, R. A., ASSOKU, R. K. G., OPIYO, E. A. and NANTULYA, V. M. Field evaluation of a dot-ELISA for the detection and differentiation of trypanosome species in infected tsetse flies (*Glossina* spp.) 205

ARNEBERG, P., FOLSTAD, I. and KARTER, A. J. Gastrointestinal nematodes depress food intake in naturally infected reindeer 213

LAL, P. G. and JAMES, E. R. *Onchocerca* retinol- and ivermectin- binding protein activity 221

BEG, M. A., FISTEIN, J. L., INGRAM, G. A. and STOREY, D. M. Activities of glycogen phosphorylase, alanine aminotransferase and aspartate aminotransferase in adult worms of *Litomosoides carinii* recovered from pyridoxine deficient cotton rats (*Sigmodon hispidus*) 227

WÜRTZ, J., TARASCHEWSKI, H. and PELSTER, B. Changes in gas composition in the swimbladder of the European eel (*Anguilla anguilla*) infected with *Anguillicola crassus* (Nematoda) 233

RIGA, E., PERRY, R. N., BARRETT, J. and JOHNSTON, M. R. L. Electrophysiological responses of males of the potato cyst nematodes, *Globodera rostochiensis* and *G. pallida*, to their sex pheromones 239

MARTIN, R. J. An electophysiological preparation of *Ascaris suum* pharyngeal muscle reveals a glutamate-gated chloride channel sensitive to the avermectin analogue, milbemycin D 247

BASCAL, Z., HOLDEN-DYE, L., WILLIS, R. J., SMITH, S. W. G. and WALKER, R. J. Novel azole derivatives are antagonists at the inhibitory GABA receptor on the somatic muscle cells of the parasitic nematode *Ascaris suum* 253

PART 3 MARCH 1996

CRANDALL, I. and SHERMAN, I. W. The human anion transport protein, band 3, contains a CD36-like binding domain for *Plasmodium falciparum*-infected erythrocytes 261

CLAREBOUT, G., GAMAIN, B., SLOMIANNY, C., CAMUS, D. and DIVE, D. The course of *Plasmodium berghei*, *P. chabaudi* and *P. yoelii* infections in β-thalassaemic mice 269

QUIJADA, L., REQUENA, J. M., SOTO, M. and ALONSO, C. During canine viscero-cutaneous leishmaniasis the anti-Hsp70 antibodies are specifically elicited by the parasite protein 277

SULLIVAN, A. D., ITTARAT, I. and MESHNICK, S. R. Patterns of haemozoin accumulation in tissue 285

DENNIS, R. D., BAUMEISTER, S., LAUER, L., RICHTER, R. and GEYER, E. Neutral glycolipids of *Schistosoma mansoni* as feasible antigens in the detection of schistosomiasis 295

UPCROFT, J. A., CAMPBELL, R. W. and UPCROFT, P. Quinacrine-resistant *Giardia duodenalis* 309

TAYLOR, M. J., CROSS, H. F., MOHAMMED, A. A., TREES, A. J. and BIANCO, A. E. Susceptibility of *Brugia malayi* and *Onchocerca lienalis* microfilariae to nitric oxide and hydrogen peroxide in cell-free culture and from IFNγ-activated macrophages 315

FOLKARD, S. G., HOGARTH, P. J., TAYLOR, M. J. and BIANCO, A. E. Eosinophils are the major effector cells of immunity to microfilariae in a mouse model of onchocerciasis 323

HONG, X. Q., SANTIAGO MEJIA, J., KUMAR, S., PERLER, F. B. and CARLOW, C. K. S. Cloning and expression of DiT33 from *Dirofilaria immitis*: a specific and early marker of heartworm infection 331

UCHIKAWA, R., YAMADA, M., MATSUDA, S., TEGOSHI, T., NISHIDA, M., KAMATA, I., KURODA, A. and ARIZONO, N. Dissociation of early and late protective immunity to the nematode *Nippostrongylus brasiliensis* in Brown Norway and Fischer-344 rats 339

KENNEDY, C. R. Establishment, survival and site selection of the cestode *Eubothrium crassum* in brown trout, *Salmo trutta* 347

PART 4 APRIL 1996

CHAR, S., KELLY, P., NAEEM, A. and FARTHING, M. J. G. Codon usage in *Cryptosporidium parvum* differs from that in other Eimeriorina 357

NOVATI, S., SIRONI, M., GRANATA, S., BRUNO, A., GATTI, S., SCAGLIA, M. and BANDI, C. Direct sequencing of the PCR amplified SSU rRNA gene of *Entamoeba dispar* and the design of primers for rapid differentiation from *Entamoeba histolytica* 363

WEDEKIND, C. and MILINSKI, M. Do three-spined sticklebacks avoid consuming copepods, the first intermediate host of *Schistocephalus solidus*?—an experimental analysis of behavioural resistance 371

HENRIKSSON, J., SOLARI, A., RYDÅKER, M., SOUSA, O. E. and PETTERSSON, U. Karyotype variability in *Trypanosoma rangeli* 385

LOWNDES, C. M., BONALDO, M. C., THOMAZ, N. and GOLDENBERG, S. Heterogeneity of metalloprotease expression in *Trypanosoma cruzi* 393

FISCHER, P., BAMUHIIGA, J., KILIAN, A. H. D. and BÜTTNER, D. W. Strain differentiation of *Onchocerca volvulus* from Uganda using DNA probes 401

MICHAEL, E., BUNDY, D. A. P. and GRENFELL, B. T. Re-assessing the global prevalence and distribution of lymphatic filariasis 409

WEBB, T. J. and HURD, H. *Hymenolepis diminuta*: metacestode-induced reduction in the synthesis of the yolk protein, vitellogenin, in the fat body of *Tenebrio molitor* 429

PART 5 MAY 1996

KUBOTA, S., SUGIMOTO, C. and ONUMA, M. Population dynamics of *Theileria sergenti* in persistently infected cattle and vector ticks analysed by a polymerase chain reaction 437

CLOUGH, B., ATILOLA, F. A., HEALY, N., PEREIRA, M. E. A., BETHELL, R. C., PENN, C. R. and PASVOL, G. *Plasmodium falciparum* lacks sialidase and trans-sialidase activity 443

WEBB, S. E., FOWLER, R. E., O'SHAUGHNESSY, C., PINDER, J. C., DLUZEWSKI, A. R., GRATZER, W. B., BANNISTER, L. H. and MITCHELL, G. H. Contractile protein system in the asexual stages of the malaria parasite *Plasmodium falciparum* 451

SCHMIDT, J., BODOR, O., GOHR, L. and KUNZ, W. Paramyosin isoforms of *Schistosoma mansoni* are phosphorylated and localized in a large variety of muscle types 459

JOHNSTON, L. A. and YOSHINO, T. P. Analysis of lectin- and snail plasma-binding glycopeptides associated with the tegumental surface of the primary sporocysts of *Schistosoma mansoni* 469

STEVENS, J. R. and TIBAYRENC, M. *Trypanosoma brucei* s.l.: evolution, linkage and the clonality debate 481

MÜLLER-GRAF, C. D. M., COLLINS, D. A. and WOOLHOUSE, M. E. J. Intestinal parasite burden in five troops of olive baboons (*Papio cyanocephalus anubis*) in Gombe Stream National Park, Tanzania 489

BAGGE, A. M. and VALTONEN, E. T. Experimental study on the influence of paper and pulp mill effluent on the gill parasite communities of roach (*Rutilus rutilus*) 499

RICHARDS, D. T., HOOLE, D., LEWIS, J. W., EWENS, E. and ARME, C. *In vitro* polarization of carp leucocytes in response to the blood fluke *Sanguinicola inermis* Plehn, 1905 (Trematoda: Sanguinicolidae) 509

PART 6 JUNE 1996

ELASED, K. M. and PLAYFAIR, J. H. L. Reversal of hypoglycaemia in murine malaria by drugs that inhibit insulin secretion 515

SHIRLEY, M. W. and HARVEY, D. A. *Eimeria tenella*: infection with a single sporocyst gives a clonal population 523

HIRSCH, C. and GOES, A. M. Characterization of fractionated *Schistosoma mansoni* soluble adult worm antigens that elicit human cell proliferation and granuloma formation *in vitro* 529

BOGERS, J. J. P. M., NIBBELING, H. A. M., DEELDER, A. M. and VAN MARCK, E. A. E. Immunohistochemical and ultrastructural localization of *Schistosoma mansoni* soluble egg antigens processed by the infected host 537

JAROSZ, J. Ecology of anti-microbials produced by bacterial associates of *Steinernema carpocapsae* and *Heterohabditis bacteriophora* 545

DAVIES, K. G., AFOLABI, P. and O'SHEA, P. Adhesion of *Pasteuria penetrans* to the cuticle of root-knot nematodes (*Meloidogyne* spp.) inhibited by fibronectin: a study of electrostatic and hydrophobic interactions 553

VILLA, O. F. and KUHN, R. E. Mice infected with the larvae of *Taenia crassiceps* exhibit a Th2-like immune response with concomitant anergy and downregulation of Th1-associated phenomena 561

BARTON, T. R., HARRIS, M. P., WANLESS, S. and ELSTON, D. A. The activity periods and life-cycle of the tick *Ixodes uriae* (Acari: Ixodidae) in relation to host breeding strategies 571

BOULINIER, T., IVES, A. R. and DANCHIN, E. Measuring aggregation of parasites at different host population levels 581